

Message

From: Nonresponsive based on revised scope
Sent: 8/19/2019 4:51:59 PM
To: Robb, John [robb.john@epa.gov]
CC: Williams, Jacqueline [williams.jacqueline@epa.gov] Nonresponsive based on revised scope
Nonresponsive based on revised scope Christine [Wagner.Christine@epa.gov]
Subject: EP-S3-17-03 ERLLC 85 Notification for TO 0467 Shiloh Church Road Site
Attachments: ATT00001.txt; EP-S3-17-03 ERLLC 85 Notification for TO 0467 Shiloh Church Road Site.pdf

Mr. Robb,

Attached please find ER's notification for 85% of the ceiling for the Shiloh Church Site (TO 0467).

ER will need additional funding to complete the current Statement of Work.

Thank you,

Nonresponsive based on revised scope



Nonresponsive based on revised scope

Visit our website at www.erllc.com

Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.